Radiation Dose Statistics for Nuclear Workers in FY 2018

Radiation Dose Registration Center

1. Publication of radiation dose statistics

The Radiation Dose Registration Center (RADREC) of the Radiation Effects Association assigns a unique registration number for each worker engaged in radiation works at nuclear power plants and nuclear facilities, and these radiation doses are centrally managed by the "Radiation Dose Registration System for Nuclear Workers" (hereinafter refered to as "Nuclear Registration System"). Therefore, even if the worker move from one nuclear facility to other facilities to engage in other radiation work, the Nuclear Registration System enables previous radiation doses of each worker at all work sites accurately.

Using the registered data, the RADREC publishes the statistics for fiscal year (FY, April–March) 2018 that represent the management status of radiation doses for the workers engaged in radiation work at the nuclear sites.

Since the contributions of radiation doses due to decommissioning of Fukushima–Daiichi Nuclear Power Plant operated by Tokyo Electric Power Company was significantly large, radiation management status of the other facilities under normal operation are difficult to understand. Therefore, the statistics excluding Fukushima–Daiichi Power Plant are also published.

As the radiation doses for emergency works due to the accident at Fukushima–Daiichi Nuclear Power Plant after the Great East Japan Earthquake which occurred on March 11, 2011 were not registered in FY 2016, the dose statistics of emergency workers since FY 2017 is not published.

2. List of nuclear licensees registered in Nuclear Registration System

The statistical data were based on the radiation doses registered in Nuclear Registration System by the following nuclear licensees. Names of the work sites are shown in parentheses.

- (1) Japan Atomic Energy Agency (Nuclear Science Research Institute, Nuclear Fuel Cycle Engineering Labs, Oarai, Naka^{*}, Kansai^{*}, Takasaki^{*}, Tono, Ningyo-toge, Fugen, Monju, Mutsu)
- (2) Japan Nuclear Fuel Ltd. (Enrichment and Disposal Plants, Reprocessing Plant)
- (3) Hokkaido Electric Power Co., Inc. (Tomari)
- (4) Tohoku Electric Power Co., Inc. (Onagawa, Higashidori)
- (5) Tokyo Electric Power Co.Holdings, Inc. (Fukushima-Daiichi, Fukushima-Daini, Kashiwazaki-Kariwa)
- (6) Chubu Electric Power Co., Inc. (Hamaoka)
- (7) Hokuriku Electric Power Co. (Shika)
- (8) The Kansai Electric Power Co., Inc. (Mihama, Takahama, Ohi)
- (9) The Chugoku Electric Power Co., Inc. (Shimane)

- (10) Shikoku Electric Power Co., Inc. (Ikata)
- (11) Kyushu Electric Power Co., Inc. (Genkai Sendai)
- (12) The Japan Atomic power Company (Tokai, Tokai No2, Tsuruga)
- (13) Nuclear Fuel Industries, Ltd. (Kumatori, Tokai)
- (14) Sumitomo Metal Mining Co., Ltd. (Tokai)
- (15) Global Nuclear Fuel Japan Co., Ltd. (Yokosuka)
- (16) Mitsubishi Nuclear Fuel (Tokai)
- (17) JCO Co., Ltd. (Tokai)
 - *Note: The operation of Naka, Kansai, and Takasaki was transferred from JAEA to QST on April 1, 2016.

3. Data compilation method

The statistical data are based on the radiation doses of the workers engaged in radiation work of the nuclear licensees that have registered in the Nuclear Registration System operated by the RADREC.

- These statistical data are based on registered data provided by the nuclear licensees as of June 1, 2019
- (2) The doses compiled are the effective doses, sum of external and internal exposure.
- (3) "Maximum dose," "collective dose," "average dose," and "%" were rounded to one decimal place. Some discrepancy which total percent values are other than 100% may be caused by this procedure.
- (4) The age of the workers were based on the time of March 31, 2019.
- (5) The "Total number" of radiation workers were compiled based on distinct individuals, so that workers who worked at more than one nuclear site were counted as one.

[Dose Limits for radiation workers]

The statutory dose limits for radiation workers is 100 millisieverts (mSv) over five years and 50 mSv in one year, the dose limit for female workers, excluding those who indicate no pregnancy and those who are pregnant, is 5 mSv per 3 months with the dose limit above. Five-year period refers to the statutory period that started on April 1, 2001 and has been renewed every subsequent five years.

[Definition of terminology]

- (1) Radiation Worker: Worker who is designated by nuclear licensees as a radiation worker based on the "Law for the Regulation of Nuclear Source Material, Nuclear Fuel Material, and Reactors "whose core occupation is in radiation control areas, excluding people who enter radiation control areas occasionally.
- (2) Exposure doses: Exposure doses of workers engaged in nuclear facilities registered in RADREC are compiled as fiscal year data.
- (3) Five-year exposure doses: Exposure doses accumulated in the statutory five-year period to control long-term dose limit. The first period started on April 1, 2001, with exposure doses accumulating every subsequent five years.

- (4) Transient dose: Dose statistics within statutory five-year period
- (5) Number of work sites in a year: Number of work sites in a year means the number of nuclear sites where workers were engaged in radiation work during the fiscal year when the statistical data were compiled. The total number of work sites in FY 2019 is 34. Even if the worker was engaged in radiation work at one nuclear site in several times in a year, that counted as one work site.
- (6) Number of work sites in three years: Number of work sites in three years means the number of nuclear sites where workers were engaged in radiation works during the period of statistical data compilation (FY 2016 and 2018).

List of dose statistics

- 1. Dose Distribution of Workers by Age {FY 2018}(Table)
- 2. Dose Distribution of Workers by Age {FY 2018}(Figure)
- Dose Distribution of Workers by Age {FY 2018}(Excluding the Data for Fukushima Daiichi Nuclear Power Plant) (Figure)
- Dose Distribution of Workers by Age {FY 2018}(Excluding the data for Fukushima Daiichi Nuclear Power Plant) (Table)
- 5. Annual Trends of Numbers of Workers by Age [FY 2014-2018] (Figure)
- 6. Annual Trends of Numbers of Workers by Dose Range [FY 2014–2018] (Figure)
- 7. Dose Distribution of Workers by Gender {FY 2018} (Table)
- 8. Dose Distribution of Workers by Number of Work Sites {FY 2018} (Table)
- 9. Ratio of Number of Workers by Number of Work Sites {FY 2018} (Figure)
- 10. Annual Trends of Ratio of Workers by Number of Work Sites [FY 2014–2018] (Figure)
- 11. Dose Distribution of Workers by Number of Work Sites {FY 2018}(Excluding the Data for Fukushima Daiichi Nuclear Power Plant)(Table)
- 12. Dose Distribution of Workers by Number of Work Sites {FY 2018} (Excluding the Data for Fukushima Daiichi Nuclear Power Plant)(Figure)
- Transient Dose Distribution of Workers by Number of Work Sites in Latest three Years {FY 2016– 2018}(Table)


Dose						Number	of work	ers					Total no. of	F	D	ose	
(mSv) Age	Dose≤1	1 <dose ≤2.5</dose 	2.5 <dose ≤5</dose 	5 <dose ≤7.5</dose 	7.5 <dose ≤10</dose 	10 <dose ≤15</dose 		20 <dose ≤25</dose 	25 <dose ≤30</dose 	30 <dose ≤40</dose 	40 <dose ≤50</dose 	50< Dose	wokers e (%)		dose dose	Mean (mSv)	Max (mSv)
18~19	458	9	6	0	0	0	0	0	0	0	0	0	473 (0. 7	')	52.8	0. 1	3.4
20~24	3, 407	135	84	26	14	13	3	0	0	0	0	0	3, 682 (5. 8	3)	1, 224. 0	0. 3	17.1
25~29	6, 332	331	148	67	45	40	13	0	0	0	0	0	6, 976 (10.	9)	2, 971. 7	0.4	19. 2
30~34	5, 877	319	188	84	51	76	28	0	0	0	0	0	6, 623 (10.	3)	4, 017. 5	0.6	19.1
35~39	5, 900	394	210	80	57	85	37	0	0	0	0	0	6, 763 (10.	6)	4, 471. 1	0. 7	19.4
40~44	7, 592	459	225	87	62	105	42	0	0	0	0	0	8, 572 (13.	4)	5, 188. 9	0.6	19.7
45~49	7, 955	450	258	104	68	101	36	0	0	0	0	0	8, 972 (14.)	0)	5, 305. 4	0.6	19.3
50~54	6, 934	430	208	86	62	73	51	0	0	0	0	0	7, 844 (12.3	3)	4, 782. 7	0.6	19.9
55~59	6, 425	371	180	71	52	60	31	0	0	0	0	0	7, 190 (11. 2	2)	3, 789. 3	0. 5	18.6
60~64	4, 279	249	128	46	29	46	24	0	0	0	0	0	4, 801 (7. 5	5)	2, 656. 0	0.6	19. 2
65~69	1, 605	106	35	15	12	9	10	0	0	0	0	0	1, 792 (2.8	3)	881.7	0.5	18. 8
70 or more	291	11	5	1	0	3	2	0	0	0	0	0	313 (0.5	5)	127. 5	0. 4	19.4
Total no. of wokers	57, 055	3, 264	1, 675	667	452	611	277	0	0	0	0	0	64, 001 (100.	0)	_	-	—
(%)	(89. 2)	(5.1)	(2.6)	(1.0)	(0.7)	(1.0)	(0.4)	(0.0)	(0.0)	(0.0)	(0.0)	(0.0)					
Collective Dose (person • mSv)	3, 982. 0	5, 302. 8	5, 911. 7	4, 121. 3	3, 947. 7	7, 476. 4	4, 726. 6	0. 0	0. 0	0. 0	0. 0	0.0	_	3	85, 468. 6	0. 6	19. 9

1. Dose Distribution of Workers by Age {FY 2018}


[Notes]


• How to read the numbers in table above: The number "331" in the box for the age row of "25~29" and the dose column of "1<Dose≤2.5" means that there were 331 workers between age 25 and 29 inclusive whose radiation doses were in the range of greater than 1 and less than or equal to 2.5 millisieverts in FY 2018.

• The workers' ages are calculated as of March 31, 2019.




* This figure is based on the data in the Table 1 "Dose Distributin of Workers by Age {FY 2018}".





* This figure is based on the data in the Table 1 "Dose Distributin of Workers by Age {FY 2018}" and those of the latest four years {FY 2014-2017}.

* Dose data of the emergency workers at Fukushima-Daiichi Nuclear Power Plant are not included.



- * This figure is based on the data in the Table 1 "Dose Distributin of Workers by Age ${FY 2018}$ " and those of the latest four years ${FY 2014-2017}$.
- * Dose data of the emergency workers at Fukushima-Daiichi Nuclear Power Plant are not included.

Dose					N	umber of	worker	'S					Total no.	of wokers		Dose	
(mSv)	Dose≤1	1 <dose< td=""><td>2.5<dose< td=""><td>5<dose< td=""><td>7.5<dose< td=""><td>10<dose< td=""><td>15<dose< td=""><td>20<dose< td=""><td>25<dose< td=""><td>30<dose< td=""><td>40<dose< td=""><td>50<dose< td=""><td></td><td>UT WORETS</td><td>Collective Dose</td><td>Mean</td><td>Max</td></dose<></td></dose<></td></dose<></td></dose<></td></dose<></td></dose<></td></dose<></td></dose<></td></dose<></td></dose<></td></dose<>	2.5 <dose< td=""><td>5<dose< td=""><td>7.5<dose< td=""><td>10<dose< td=""><td>15<dose< td=""><td>20<dose< td=""><td>25<dose< td=""><td>30<dose< td=""><td>40<dose< td=""><td>50<dose< td=""><td></td><td>UT WORETS</td><td>Collective Dose</td><td>Mean</td><td>Max</td></dose<></td></dose<></td></dose<></td></dose<></td></dose<></td></dose<></td></dose<></td></dose<></td></dose<></td></dose<>	5 <dose< td=""><td>7.5<dose< td=""><td>10<dose< td=""><td>15<dose< td=""><td>20<dose< td=""><td>25<dose< td=""><td>30<dose< td=""><td>40<dose< td=""><td>50<dose< td=""><td></td><td>UT WORETS</td><td>Collective Dose</td><td>Mean</td><td>Max</td></dose<></td></dose<></td></dose<></td></dose<></td></dose<></td></dose<></td></dose<></td></dose<></td></dose<>	7.5 <dose< td=""><td>10<dose< td=""><td>15<dose< td=""><td>20<dose< td=""><td>25<dose< td=""><td>30<dose< td=""><td>40<dose< td=""><td>50<dose< td=""><td></td><td>UT WORETS</td><td>Collective Dose</td><td>Mean</td><td>Max</td></dose<></td></dose<></td></dose<></td></dose<></td></dose<></td></dose<></td></dose<></td></dose<>	10 <dose< td=""><td>15<dose< td=""><td>20<dose< td=""><td>25<dose< td=""><td>30<dose< td=""><td>40<dose< td=""><td>50<dose< td=""><td></td><td>UT WORETS</td><td>Collective Dose</td><td>Mean</td><td>Max</td></dose<></td></dose<></td></dose<></td></dose<></td></dose<></td></dose<></td></dose<>	15 <dose< td=""><td>20<dose< td=""><td>25<dose< td=""><td>30<dose< td=""><td>40<dose< td=""><td>50<dose< td=""><td></td><td>UT WORETS</td><td>Collective Dose</td><td>Mean</td><td>Max</td></dose<></td></dose<></td></dose<></td></dose<></td></dose<></td></dose<>	20 <dose< td=""><td>25<dose< td=""><td>30<dose< td=""><td>40<dose< td=""><td>50<dose< td=""><td></td><td>UT WORETS</td><td>Collective Dose</td><td>Mean</td><td>Max</td></dose<></td></dose<></td></dose<></td></dose<></td></dose<>	25 <dose< td=""><td>30<dose< td=""><td>40<dose< td=""><td>50<dose< td=""><td></td><td>UT WORETS</td><td>Collective Dose</td><td>Mean</td><td>Max</td></dose<></td></dose<></td></dose<></td></dose<>	30 <dose< td=""><td>40<dose< td=""><td>50<dose< td=""><td></td><td>UT WORETS</td><td>Collective Dose</td><td>Mean</td><td>Max</td></dose<></td></dose<></td></dose<>	40 <dose< td=""><td>50<dose< td=""><td></td><td>UT WORETS</td><td>Collective Dose</td><td>Mean</td><td>Max</td></dose<></td></dose<>	50 <dose< td=""><td></td><td>UT WORETS</td><td>Collective Dose</td><td>Mean</td><td>Max</td></dose<>		UT WORETS	Collective Dose	Mean	Max
Age	Dose	≤2.5	≤5	≤7.5	≤10	≤15	≤20	≤25	≤30	≤40	≤50			(%)	(person • mSv)	(mSv)	(mSv)
18~19	461	5	1	0	0	0	0	0	0	0	0	0	467	(0.9)	29. 9	0. 1	3. 1
20~24	3, 273	84	45	4	5	0	0	0	0	0	0	0	3, 411	(6.3)	531.2	0. 2	9.3
25~29	6, 004	181	54	12	2	2	0	0	0	0	0	0	6, 255	(11.6)	900. 0	0. 1	13.0
30~34	5, 467	142	73	17	6	3	0	0	0	0	0	0	5, 708	(10. 6)	990. 2	0. 2	12. 4
35~39	5, 422	194	68	15	6	2	0	0	0	0	0	0	5, 707	(10.6)	1, 025. 0	0. 2	13. 3
40~44	6, 930	186	66	18	6	1	0	0	0	0	0	0	7, 207	(13. 4)	1, 077. 7	0. 1	12.6
45~49	7, 132	143	70	18	5	1	0	0	0	0	0	0	7, 369	(13. 7)	1, 000. 7	0. 1	11. 2
50~54	6, 118	153	40	10	4	1	0	0	0	0	0	0	6, 326	(11.7)	777. 2	0.1	11.3
55~59	5, 679	103	41	18	10	2	0	0	0	0	0	0	5, 853	(10.9)	745. 7	0. 1	13. 1
60~64	3, 748	90	40	10	4	1	0	0	0	0	0	0	3, 893	(7.2)	548.6	0. 1	11.1
65~69	1, 406	43	11	3	1	0	0	0	0	0	0	0	1, 464	(2.7)	205. 5	0.1	8.0
70 or more	260	1	1	1	0	0	0	0	0	0	0	0	263	(0.5)	21.5	0.1	6.8
Total no. of wokers	51, 900	1, 325	510	126	49	13	0	0	0	0	0	0	53, 923	(100.0)	_	—	_
(%)	(96.3)	(2.5)	(0.9)	(0. 2)	(0.1)	(0.0)	(0.0)	(0.0)	(0.0)	(0.0)	(0.0)	(0.0)					
Collective Dose (person • mSv)	2, 621. 9	2, 130. 2	1, 765. 0	764. 9	419. 2	152. 1	0.0	0.0	0.0	0.0	0.0	0.0	-	_	7, 853. 2	0. 1	13.3

5. Dose Distribution of Workers by Age{FY 2018} (Excluding the Data for Fukushim-Daiichi Nuclear Power Plant)

[Notes]


• This table was compiled by excluding the data for Fukushima-Daiichi Nuclear Power Plant. The exposure dose data of workers at Fukushima Daiichi Nuclear Power Plant are shown in website of Tokyo Electric Power Company Holdings, Inc.

• How to read the numbers in table above: The number "181" in the box for the age row of "25~29" and the dose column of "1<Dose≤2.5" means that there were 181 workers between age 25 and 29 inclusive whose radiation doses were in the range of greater than 1 and less than or equal to 2.5 millisieverts in FY 2018.

• The workers' ages are calculated as of March 31,2019.

6. Dose Distribution of Workers by Age{FY 2018}

(Excluding the Data for Fukushima-Daiichi Nuclear Power Plant)



* This figure is based on the data in the Table 5 "Dose Distribution of Workers by Age{FY 2018} (Excluding the data for Fukushima-Daiichi Nuclear Power Plant)".

Gender	Male	Female	Total no. of	Collective dose
Dose (mSv)	ind fo	i olia i o	wokers	(person·mSv)
	(%)	(%)	(%)	(%)
Dose ≤1	56, 198	857	57,055	3, 982. 0
	(89.0)	(99.7)	(89.1)	(11.2)
1< dose ≤2.5	3, 261	3	3, 264	5, 302. 8
	(5.2)	(0.3)	(5.1)	(15.0)
2.5< Dose ≤5	1, 675 (2, 7)		1,675	5, 911. 7
	(2.7)	(0.0)	(2.6) 667	(16. 7) 4, 121. 3
5< Dose ≤7.5		v		
	<u>(1.1)</u> 452	(0.0)	(1.0) 452	(11. 6) 3, 947. 7
7.5< Dose ≤10	(0. 7)	(0.0)	(0.7)	(11.1)
	611	0	611	7, 476. 4
10< Dose ≤15	(1.0)	(0.0)	(1.0)	(21.1)
15< Dose ≤20	277	0	277	4, 726. 6
15< Dose ≥20	(0.4)	(0.0)	(0. 4)	(13.3)
20< dose ≤25	0	0	0	0.0
20 \ 0030 =25	(0.0)	(0.0)	(0.0)	(0.0)
25< Dose ≤30	0	0	0	0.0
	(0.0)	(0.0)	(0.0)	(0.0)
30< Dose ≤40	0			0.0
	(0.0)	(0.0)	(0.0)	(0.0)
40< Dose ≤50	(0.0)	(0.0)	(0.0)	(0.0)
	0	0	0	0.0
50< Dose	(0.0)	(0.0)	(0.0)	(0.0)
Total no. of wokers	63, 141	860	64, 001	35, 468. 5
(%)	(100.0)	(100.0)	(100. 0)	(100.0)
Total no. of wokers	63, 141	860		
Ratio of man and famel(%)	(98.7)	(1.3)		
Mean dose (mSv)	0.6	0.0	0.6	
Collective dose (person•mSv)	45, 259. 8	13. 2	45, 273. 0	
Max dose (mSv)	19.9	2. 5	19. 9	

7. Dose Distribution of Workers by Gender {FY 2018}

[Notes]


• How to read the numbers in table above: The number "3,261" in the box of the dose row " $1 \leq Dose \leq 2.5 \text{ mSv}$ " and the "Male" column means that there were 3,261 man workers whose radiation doses were in the range of greater than 1 and less than or equal to 2.5 millisieverts in FY 2018.

No. of Work sites Dose (mSv)	1	2	3	4	5	6 or more	Total no woke	
Dose ≤ 5	54, 905	5, 873	903	232	51	30	61, 994	(96. 9)
5< Dose ≤10	947	146	22	3	1	0	1, 119	(1.7)
10< Dose ≤15	539	60	9	3	0	0	611	(1.0)
15< dose ≤20	256	21	0	0	0	0	277	(0. 4)
20 <dose td="" ≤25<=""><td>0</td><td>0</td><td>0</td><td>0</td><td>0</td><td>0</td><td>0</td><td>(0.0)</td></dose>	0	0	0	0	0	0	0	(0.0)
25< Dose ≤30	0	0	0	0	0	0	0	(0.0)
30< Dose ≤40	0	0	0	0	0	0	0	(0.0)
40< Dose ≤50	0	0	0	0	0	0	0	(0.0)
50< Dose	0	0	0	0	0	0	0	(0.0)
Total no. of wokers	56, 647	6, 100	934	238	52	30	64, 0	01
(%)	(88.5)	(9.5)	(1.5)	(0. 4)	(0.1)	(0.0)	(100.	0)
Mean dose (mSv)	0. 5	0.7	0.8	0.8	0.5	0. 3	0.6	

8. Dose Distribution of Workers by Number of Work Sites $\{FY\ 2018\}$

[Notes]

• How to read the numbers in table above : The number "51" in the box for the dose row of "Dose≤5" and the number of work sites of "5" column means that there were 51 workers who were engaged in five work sites and whoes radiation doses were less than 5 millisievert in FY 2018.




Numbers of engaged nuclear sites

* This figure is based on the data in the Table 8 "Dose Distribution of Workers by Number of Work Sites {FY 2018}".

9. Ratio of Number of Workers by Number of Work Sites{FY 2018}

10. Annual Trends of Ratio of Workers by Number of Work Sites {FY 2013-2017}



- * This figure is based on the data in the Table 8 "Dose Distribution of Workers by Number of Work Sites $\{FY \ 2018\}$ " and those of the latest four years $\{FY \ 2014-2017\}$.
- * Dose data of the emergency workers at Fukushima-Daiichi Nuclear Power Plant are not included.

11. Dose Distribution of Workers by Number of Work Sites $\{FY\ 2018\}$


(Excluding the D	ata for	Fukushima-D	Daiichi I	Nuclear	Power	Plant)
------------------	---------	-------------	-----------	---------	-------	--------

No. of Work sites Dose (mSv)	1	2	3	4	5	6 or more	Total n woke	rs
								(%)
Dose ≤ 5	47, 502	5, 130	814	212	50	27	53, 735	(99.7)
5< Dose ≤10	100	62	10	2	1	0	175	(0.3)
10 < Dose ≤15	3	4	6	0	0	0	13	(0.0)
15< Dose ≤20	0	0	0	0	0	0	0	(0.0)
20< Dose ≤25	0	0	0	0	0	0	0	(0.0)
25< Dose ≤30	0	0	0	0	0	0	0	(0.0)
30< Dose ≤40	0	0	0	0	0	0	0	(0.0)
40< Dose ≤50	0	0	0	0	0	0	0	(0.0)
50 < Dose	0	0	0	0	0	0	0	(0.0)
Total no. of wokers	47, 605	5, 196	830	214	51	27	53, 9	23
(%)	(88. 3)	(9.6)	(1.5)	(0.4)	(0.1)	(0.1)	(100. 0)	
Means dose (mSv)	0.1	0. 4	0. 6	0. 6	0. 4	0. 1	0. 1	

[Notes]

- This table was compiled by excluding the data for Fukushima-Daiichi Nuclear Power Plant. The dose data of workers at Fukushima-Daiichi Nuclear Power Plant are shown in HP of Tokyo Electric Power Company Holdings, lnc.
- How to read the numbers in table above : The number "50" in the box for the dose row of "Dose≤5" and the number of work sites of "5" column means that there were 50 workers who were engaged in five nuclear sites and whoes radiation doses were less than 5 millisievert in FY 2018.

12. Dose Distribution of Workers by Number of Work Sites $\{FY\ 2018\}$



(Excluding the Data for Fukushima-Daiichi Nuclear Power Plant)

* This figure is based on the data in the Table 11 "Dose Distribution of Workers by Number of Work Sites {FY 2018}".

No. of work sites in three years Dose (mSv)	1	2	3	4	5	6	7	8 or more	Total n worke	
Dose ≤ 5	67, 983	11, 392	2, 865	938	338	148	46	38	83, 748	(92. 1)
$5 \leq \text{Dose} \leq 10$	2, 278	542	199	81	44	15	7	2	3, 168	(3.5)
10< Dose ≤ 15	1,096	225	67	31	12	6	2	0	1, 439	(1.6)
15< Dose ≤ 20	763	162	41	18	5	1	1	0	991	(1. 1)
20< Dose ≤ 25	395	84	26	8	0	3	0	0	516	(0.6)
25< Dose ≤ 30	255	56	10	2	1	0	0	1	325	(0.3)
30< Dose ≤ 40	341	61	16	1	0	0	0	0	419	(0.5)
40< Dose ≤ 50	147	28	4	0	0	0	0	0	179	(0. 2)
50< Dose ≤ 60	59	3	0	0	0	0	0	0	62	(0.1)
60< Dose ≤ 70	13	1	0	0	0	0	0	0	14	(0.0)
70< Dose ≤ 80	11	0	0	0	0	0	0	0	11	(0.0)
80< Dose ≤ 90	0	0	0	0	0	0	0	0	0	(0.0)
90< Dose ≤ 100	0	0	0	0	0	0	0	0	0	(0.0)
100< Dose	0	0	0	0	0	0	0	0	0	(0.0)
Total no. of workers	73, 341	12, 554	3, 228	1, 079	400	173	56	41	90, 872	
(%)	(80. 7)	(13. 8)	(3.6)	(1.2)	(0. 4)	(0. 2)	(0.1)	(0.0)	(100.0)	
Mean dose (mSv)	1.4	1.8	2. 0	2. 2	2. 2	2.3	2. 3	1.3	1.5	

13. Transient Dose Distribution of Workers by Number of Work Sites in Latest three Years {FY 2016-2018}

[Notes]

• The statutory dose limits for radiation workers are 100 mSv per five years and 50 mSv per year. Five-year period started from April, 2016, so that FY 2016-2018 data are given above.

• How to read the numbers in table above: The number "81" in the box for the dose row of "5< Dose ≤ 10 " and in column of the no. of work sites in three years "4" means that there were 81 workers who engaged in radiation works at four work sites in three years and whose radiation doses were greater than 5 and less than or equal to 10 illisieverts from FY 2016 to 2018.